

Los Angeles-Long Beach-Santa Ana, CA



Deaths reported to DAWN

Drug misuse 1,038
Suicide 167

Metro area population, 2004

12,925,330

Population covered by DAWN

9,937,739

Percent of population covered by DAWN

77%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	1,038	104.5	167	16.8	9,937,739
1. Los Angeles County, CA	1,038	104.5	167	16.8	9,937,739
2. Orange County, CA					2,987,591

Shaded areas did not participate in DAWN this year.

¹Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		412
Home		339
Public place		60
Other		223
Not documented		4
Suicide		Deaths
Health care facility		36
Home		90
Public place		6
Other		35
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	666	Any drug-related cause	83
Abuse	22	Abuse	0
Drug or alcohol	652	Drug or alcohol	83
Toxic effects	445	Toxic effects	71
Body systems (includes infections)	346	Body systems (includes infections)	14
Accidents and injuries	951	Accidents and injuries	165

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS		1,038	348		167	52
Alcohol ²		166	9		25	0
Cocaine		440	195		21	7
Marijuana		48	14		4	--
Stimulants		207	19		28	--
Club drugs ³		9	--		--	0
Hallucinogens ⁴		15	--		0	0
Inhalants		7	--		5	4
Antidepressants		133	6		65	10
Antipsychotics		56	--		17	--
Benzodiazepines		82	--		34	--
Misc. anxiolytics, sedatives, and hypnotics		84	0		35	6
Opiates/opioids		546	81		50	4
Heroin (specified)		279	35		4	0
Methadone		59	15		--	0
All other opiates/opioids		406	31		49	4
Nonsteroidal anti-inflammatory agents		9	0		--	0
Salicylates/combinations		4	--		--	--
Misc. analgesics/combinations		27	5		14	--
Anticonvulsants		30	--		9	--
Muscle relaxants		29	0		10	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Louisville, KY-IN



Deaths reported to DAWN

Drug misuse 57
Suicide 9

Metro area population, 2004

1,200,847

Population covered by DAWN

700,030

Percent of population covered
by DAWN
58%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	57	81.4	9	12.9	700,030
1. Clark County, IN					100,706
2. Floyd County, IN					71,543
3. Harrison County, IN					36,376
4. Washington County, IN					27,882
5. Bullitt County, KY					66,645
6. Henry County, KY					15,771
7. Jefferson County, KY	57	81.4	9	12.9	700,030
8. Meade County, KY					28,300
9. Nelson County, KY					40,406
10. Oldham County, KY					52,100
11. Shelby County, KY					37,219
12. Spencer County, KY					14,822
13. Trimble County, KY					9,047

Shaded areas did not participate in DAWN this year.

¹Deaths per 1,000,000 population.


Deaths by case type, 2004



Place of death, 2004

Drug misuse	Deaths
Health care facility	17
Home	32
Public place	--
Other	7
Not documented	0
Suicide	Deaths
Health care facility	0
Home	9
Public place	0
Other	0
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	55	Any drug-related cause	9
Abuse	--	Abuse	0
Drug or alcohol	55	Drug or alcohol	9
Toxic effects	55	Toxic effects	9
Body systems (includes infections)	5	Body systems (includes infections)	0
Accidents and injuries	--	Accidents and injuries	0

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	71	57	13	18	9	--
Alcohol ²	14	6	0	6	--	--
Cocaine	9	13	4	0	0	--
Marijuana	--	0	0	0	0	--
Stimulants	--	--	--	0	0	--
Club drugs ³	--	0	0	0	0	--
Hallucinogens ⁴	0	0	0	0	0	--
Inhalants	0	0	0	0	0	--
Antidepressants	29	15	0	9	7	--
Antipsychotics	10	--	0	--	0	--
Benzodiazepines	15	15	0	--	--	--
Misc. anxiolytics, sedatives, and hypnotics	5	8	0	4	--	--
Opiates/opioids	53	43	6	9	--	--
Heroin (specified)	0	0	0	0	0	--
Methadone	32	27	--	--	0	--
All other opiates/opioids	27	24	--	7	--	--
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	--
Salicylates/combinations	0	0	0	0	--	--
Misc. analgesics/combinations	13	7	--	7	--	--
Anticonvulsants	--	0	0	--	0	--
Muscle relaxants	0	0	0	--	0	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Miami-Fort Lauderdale-Miami Beach, FL



Deaths reported to DAWN

Drug misuse 332
Suicide 50

Metro area population, 2004

5,361,723

Population covered by DAWN

3,606,830

Percent of population covered
by DAWN
67%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (2)	332	92.0	50	13.9	3,606,830
1. Broward County, FL					1,754,893
2. Miami-Dade County, FL*	169	71.5	30	12.7	2,363,600
3. Palm Beach County, FL*	163	131.1	20	16.1	1,243,230

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		78
Home		166
Public place		34
Other		54
Not documented		0
Suicide		Deaths
Health care facility		6
Home		34
Public place		--
Other		7
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	316	Any drug-related cause	48
Abuse	30	Abuse	--
Drug or alcohol	316	Drug or alcohol	48
Toxic effects	282	Toxic effects	48
Body systems (includes infections)	69	Body systems (includes infections)	6
Accidents and injuries	26	Accidents and injuries	8

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS		332	100		50	14
Alcohol ²		90	11		8	--
Cocaine		173	39		9	--
Marijuana		7	0		0	0
Stimulants		5	--		0	0
Club drugs ³		9	0		0	0
Hallucinogens ⁴		0	0		0	0
Inhalants		0	0		0	0
Antidepressants		43	0		15	0
Antipsychotics		7	0		7	--
Benzodiazepines		108	--		18	--
Misc. anxiolytics, sedatives, and hypnotics		21	0		5	0
Opiates/opioids		237	46		23	6
Heroin (specified)		64	9		--	0
Methadone		78	22		--	--
All other opiates/opioids		121	15		20	5
Nonsteroidal anti-inflammatory agents		--	0		0	0
Salicylates/combinations		0	0		4	--
Misc. analgesics/combinations		17	--		10	--
Anticonvulsants		5	0		--	0
Muscle relaxants		7	0		--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Milwaukee-Waukesha-West Allis, WI



Deaths reported to DAWN

Drug misuse 148
Suicide 30

Metro area population, 2004

1,515,738

Population covered by DAWN

928,018

Percent of population covered by DAWN

61%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	148	159.5	30	32.3	928,018
1. Milwaukee County, WI	148	159.5	30	32.3	928,018
2. Ozaukee County, WI					86,025
3. Washington County, WI					124,502
4. Waukesha County, WI					377,193

Shaded areas did not participate in DAWN this year.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		24
Home		93
Public place		8
Other		22
Not documented		--
Suicide		Deaths
Health care facility		4
Home		20
Public place		--
Other		4
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	148	Any drug-related cause	29
Abuse	--	Abuse	0
Drug or alcohol	148	Drug or alcohol	29
Toxic effects	127	Toxic effects	29
Body systems (includes infections)	25	Body systems (includes infections)	--
Accidents and injuries	0	Accidents and injuries	--

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	134	148	29	19	30	--
Alcohol ²	39	39	0	8	8	--
Cocaine	75	80	25	0	--	--
Marijuana	--	--	0	0	0	--
Stimulants	0	0	0	0	0	--
Club drugs ³	0	0	0	0	0	--
Hallucinogens ⁴	0	0	0	0	0	--
Inhalants	0	0	0	--	0	--
Antidepressants	29	37	0	9	18	--
Antipsychotics	9	11	--	4	11	--
Benzodiazepines	39	55	0	6	16	--
Misc. anxiolytics, sedatives, and hypnotics	18	23	0	--	4	--
Opiates/opioids	89	91	--	5	12	--
Heroin (specified)	12	12	--	0	0	--
Methadone	19	39	--	0	--	--
All other opiates/opioids	73	60	--	5	12	--
Nonsteroidal anti-inflammatory agents	5	0	0	--	--	--
Salicylates/combinations	--	--	0	--	--	--
Misc. analgesics/combinations	19	12	0	8	8	--
Anticonvulsants	10	11	0	--	--	--
Muscle relaxants	4	9	0	--	4	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Minneapolis-St. Paul-Bloomington, MN-WI



Deaths reported to DAWN

Drug misuse 84
Suicide 25

Metro area population, 2004

3,116,206

Population covered by DAWN

1,820,108

Percent of population covered by DAWN

58%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (7)	84	46.2	25	13.7	1,820,108
1. Anoka County, MN					319,950
2. Carver County, MN	0	0.0	0	0.0	82,122
3. Chisago County, MN	2	41.4	0	0.0	48,349
4. Dakota County, MN	10	26.4	6	15.8	379,058
5. Hennepin County, MN*	68	60.7	18	16.1	1,120,897
6. Isanti County, MN	1	27.4	0	0.0	36,546
7. Ramsey County, MN					499,498
8. Scott County, MN	2	17.4	1	8.7	114,794
9. Sherburne County, MN					78,762
10. Washington County, MN					216,660
11. Wright County, MN					106,889
12. Pierce County, WI	1	26.1	0	0.0	38,342
13. St. Croix County, WI					74,339

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		19
Home		39
Public place		6
Other		19
Not documented		--
Suicide		Deaths
Health care facility		--
Home		21
Public place		--
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	79	Any drug-related cause	22
Abuse	0	Abuse	0
Drug or alcohol	79	Drug or alcohol	22
Toxic effects	76	Toxic effects	22
Body systems (includes infections)	12	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	4

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS		84	38		25	10
Alcohol ²		26	0		5	0
Cocaine		28	11		--	0
Marijuana		0	0		--	0
Stimulants		8	6		0	0
Club drugs ³		--	--		0	0
Hallucinogens ⁴		--	0		0	0
Inhalants		0	0		0	0
Antidepressants		--	0		5	0
Antipsychotics		0	0		4	--
Benzodiazepines		10	0		4	0
Misc. anxiolytics, sedatives, and hypnotics		0	0		4	--
Opiates/opioids		58	18		9	4
Heroin (specified)		9	--		0	0
Methadone		15	4		0	0
All other opiates/opioids		37	11		9	4
Nonsteroidal anti-inflammatory agents		0	0		0	0
Salicylates/combinations		--	--		0	0
Misc. analgesics/combinations		4	0		10	--
Anticonvulsants		0	0		0	0
Muscle relaxants		0	0		0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

New Orleans-Metairie-Kenner, LA



Deaths reported to DAWN

Drug misuse 237
Suicide 17

Metro area population, 2004

1,319,589

Population covered by DAWN

1,040,482

Percent of population covered by DAWN

79%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (5)	237	227.8	17	16.3	1,040,482
1. Jefferson Parish, LA*	132	291.0	12	26.5	453,590
2. Orleans Parish, LA*	87	188.2	4	8.7	462,269
3. Plaquemines Parish, LA	3	103.6	1	34.5	28,969
4. St. Bernard Parish, LA					65,554
5. St. Charles Parish, LA	9	179.7	0	0.0	50,073
6. St. John the Baptist Parish, LA	6	131.6	0	0.0	45,581
7. St. Tammany Parish, LA					213,553

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		75
Home		112
Public place		8
Other		41
Not documented		--
Suicide		Deaths
Health care facility		--
Home		10
Public place		--
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	229	Any drug-related cause	16
Abuse	60	Abuse	--
Drug or alcohol	229	Drug or alcohol	16
Toxic effects	127	Toxic effects	10
Body systems (includes infections)	127	Body systems (includes infections)	7
Accidents and injuries	32	Accidents and injuries	7

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS		237	25		17	--
Alcohol ²		59	0		5	--
Cocaine		112	19		5	--
Marijuana		47	0		4	--
Stimulants		9	0		--	--
Club drugs ³		14	0		0	--
Hallucinogens ⁴		0	0		0	--
Inhalants		0	0		0	--
Antidepressants		18	0		5	--
Antipsychotics		--	0		0	--
Benzodiazepines		105	0		7	--
Misc. anxiolytics, sedatives, and hypnotics		44	0		--	--
Opiates/opioids		172	6		14	--
Heroin (specified)		4	0		0	--
Methadone		83	4		--	--
All other opiates/opioids		128	--		14	--
Nonsteroidal anti-inflammatory agents		--	0		0	--
Salicylates/combinations		0	0		0	--
Misc. analgesics/combinations		12	0		--	--
Anticonvulsants		--	0		0	--
Muscle relaxants		48	0		--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

New York-Newark-Edison, NY-NJ-PA



Deaths reported to DAWN

Drug misuse 1,053
Suicide 85

Metro area population, 2004

18,709,802

Population covered by DAWN

10,993,893

Percent of population covered by DAWN

59%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (10)	1,053	95.8	85	7.7	10,993,893
1. Bergen County, NJ					902,998
2. Essex County, NJ					796,684
3. Hudson County, NJ					606,240
4. Hunterdon County, NJ					129,746
5. Middlesex County, NJ					785,095
6. Monmouth County, NJ					636,298
7. Morris County, NJ	32	65.6	3	6.1	488,173
8. Ocean County, NJ					553,251
9. Passaic County, NJ					500,427
10. Somerset County, NJ					316,750
11. Sussex County, NJ					152,218
12. Union County, NJ	41	77.1	1	1.9	531,957
13. Bronx County, NY*	226	165.5	6	4.4	1,365,536
14. Kings County, NY*	199	80.4	9	3.6	2,475,290
15. Nassau County, NY					1,339,641
16. New York County, NY*	239	152.9	23	14.7	1,562,723
17. Putnam County, NY	8	79.5	2	19.9	100,570
18. Queens County, NY*	134	59.9	12	5.4	2,237,216
19. Richmond County, NY	29	62.6	1	2.2	463,314
20. Rockland County, NY	10	34.1	3	10.2	293,626
21. Suffolk County, NY*	135	91.5	25	16.9	1,475,488
22. Westchester County, NY					942,444
23. Pike County, PA					54,117

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		318
Home		595
Public place		38
Other		88
Not documented		14
Suicide		Deaths
Health care facility		18
Home		57
Public place		5
Other		5
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	1,033	Any drug-related cause	79
Abuse	161	Abuse	--
Drug or alcohol	1,026	Drug or alcohol	79
Toxic effects	861	Toxic effects	75
Body systems (includes infections)	197	Body systems (includes infections)	7
Accidents and injuries	32	Accidents and injuries	13

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS		1,053	269		85	20
Alcohol ²		309	--		13	0
Cocaine		554	175		11	0
Marijuana		37	--		--	0
Stimulants		--	0		0	0
Club drugs ³		5	0		0	0
Hallucinogens ⁴		14	--		--	0
Inhalants		18	--		--	--
Antidepressants		177	--		33	--
Antipsychotics		52	0		14	0
Benzodiazepines		203	--		18	--
Misc. anxiolytics, sedatives, and hypnotics		107	--		21	--
Opiates/opioids		709	76		38	5
Heroin (specified)		91	14		--	--
Methadone		244	23		9	0
All other opiates/opioids		476	39		31	4
Nonsteroidal anti-inflammatory agents		5	0		0	0
Salicylates/combinations		--	0		--	--
Misc. analgesics/combinations		64	--		21	4
Anticonvulsants		17	0		9	0
Muscle relaxants		19	--		5	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Ogden-Clearfield, UT



Deaths reported to DAWN

Drug misuse	57
Suicide	13

Metro area population, 2004

477,455

Population covered by DAWN

477,455

Percent of population covered by DAWN


100%

Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (3)	57	119.4	13	27.2	477,455
1. Davis County, UT	24	91.9	5	19.1	261,208
2. Morgan County, UT	0	0.0	1	131.3	7,614
3. Weber County, UT	33	158.2	7	33.6	208,633

¹ Deaths per 1,000,000 population.

Deaths by case type, 2004




Place of death, 2004


Drug misuse	Deaths
Health care facility	16
Home	39
Public place	--
Other	--
Not documented	0

Suicide	Deaths
Health care facility	--
Home	9
Public place	0
Other	--
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	57	Any drug-related cause	13
Abuse	--	Abuse	0
Drug or alcohol	57	Drug or alcohol	13
Toxic effects	54	Toxic effects	13
Body systems (includes infections)	5	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	0

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	43	57	--	--	--	--
Alcohol ²	12	6	--	--	4	--
Cocaine	8	15	--	--	--	--
Marijuana	--	9	--	--	--	--
Stimulants	13	10	--	--	0	--
Club drugs ³	--	0	--	--	0	--
Hallucinogens ⁴	0	--	--	--	0	--
Inhalants	--	0	--	--	0	--
Antidepressants	10	26	--	--	7	--
Antipsychotics	0	--	--	--	--	--
Benzodiazepines	13	21	--	--	5	--
Misc. anxiolytics, sedatives, and hypnotics	14	11	--	--	5	--
Opiates/opioids	32	47	--	--	9	--
Heroin (specified)	--	--	--	--	0	--
Methadone	11	23	--	--	--	--
All other opiates/opioids	24	31	--	--	6	--
Nonsteroidal anti-inflammatory agents	0	0	--	--	0	--
Salicylates/combinations	--	--	--	--	--	--
Misc. analgesics/combinations	6	13	--	--	--	--
Anticonvulsants	--	--	--	--	--	--
Muscle relaxants	7	6	--	--	5	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Oklahoma City, OK



Deaths reported to DAWN

Drug misuse 134
Suicide 30

Metro area population, 2004

1,144,327

Population covered by DAWN

680,815

Percent of population covered by DAWN

59%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	134	196.8	30	44.1	680,815
1. Canadian County, OK					95,505
2. Cleveland County, OK					222,074
3. Grady County, OK					48,176
4. Lincoln County, OK					32,386
5. Logan County, OK					36,301
6. McClain County, OK					29,070
7. Oklahoma County, OK	134	196.8	30	44.1	680,815

Shaded areas did not participate in DAWN this year.

¹Deaths per 1,000,000 population.

Deaths by case type, 2004




Place of death, 2004


Drug misuse	Deaths
Health care facility	16
Home	86
Public place	21
Other	11
Not documented	0

Suicide	Deaths
Health care facility	7
Home	15
Public place	5
Other	--
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	131	Any drug-related cause	30
Abuse	28	Abuse	--
Drug or alcohol	116	Drug or alcohol	21
Toxic effects	92	Toxic effects	29
Body systems (includes infections)	8	Body systems (includes infections)	--
Accidents and injuries	19	Accidents and injuries	8

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	62	134	50	15	30	6
Alcohol ²	11	32	--	4	9	0
Cocaine	19	34	13	--	--	0
Marijuana	0	--	0	0	--	0
Stimulants	8	12	6	0	--	0
Club drugs ³	0	4	0	0	0	0
Hallucinogens ⁴	0	--	--	0	0	0
Inhalants	--	6	--	0	0	0
Antidepressants	11	15	--	4	7	0
Antipsychotics	--	--	--	0	--	0
Benzodiazepines	10	19	0	--	9	--
Misc. anxiolytics, sedatives, and hypnotics	4	8	0	--	6	--
Opiates/opioids	40	80	24	8	17	--
Heroin (specified)	--	--	0	0	0	0
Methadone	8	24	9	--	--	0
All other opiates/opioids	32	55	15	7	15	--
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	0
Salicylates/combinations	0	0	0	0	--	--
Misc. analgesics/combinations	5	18	0	--	9	--
Anticonvulsants	0	--	0	--	4	0
Muscle relaxants	7	12	0	--	4	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.